

DESIGN
NEW
VISION

PLATINUM SERIES



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com

Liyu International Europe Showroom
Susuz Mahallesi Dempa Sanayi Sitesi 3793.
Cadde No: 34, 06105 Yenimahalle/Ankara/Turkey
www.cmykreklam.com

"All technical details in this catalog are subject to change by Liyu"

Liyu International Europe Showroom
Diessemer Bruch 100 b-c, 47805 Krefeld, Germany
www.liyuprinter.com
+49 173 3721905

PLATINUM KCXL^{UV FLAT}



DESIGN
NEW
VISION

PLATINUM SERIES



RICOH



Technical Specifications

Print Heads	Konica Minolta 1024i - Ricoh Gen5 - Ricoh Gen6
Printhead Quantity	KCXL 16 (Max.)
Drop Volume	Konica 13 Pl. / Gen5 - 7 Pl. / Gen6 - 5 Pl.
Color Scale	CMYK + White + Lc + Lm + Varnish
INK Type	UV - LED
Drying System	LED
Table Size	2500 mm x 1250 mm / 3050 mm x 2050 mm
Print Height	100 mm
Print Resolution	Konica 2880 dpi / Gen5-6 2400 dpi
Printing Speed Up to	180 m2/h
Rip Software	PhotoPrint / Caldera (Opt.)
Power Requirement	230v (+/-) 10% 40A / 50HZ
Machine Size 2512	2200 mm x 5220 mm x 1530 mm
Machine Size 3020	3000 mm x 5800 mm x 1530 mm
Machine Weight	1370 - 2500 kg.